



**DISTRICT NIRMITHI KENDRA, CIVIL STATION, MALAPPURAM.**

**Ph : 0483- 2735594**

**INVITATION OF TENDER (MATERIAL)**

**DATE : 07-11-2025**

|                                                      |                                                                                                              |                |                       |
|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------|-----------------------|
| <b>Tender No :NKMP/TNDR/ELE/MTRL/M1-RE/522/19-20</b> |                                                                                                              |                |                       |
| <b>Project Name :</b>                                | <b>MAMANKAM - CHAVERTHARA" HERITAGE TOURISM PROJECT AT THIRUMANDHAMKUNNU, ANGADIPPURAM - ELECTRIFICATION</b> |                |                       |
| <b>Location</b>                                      | <b>ANGADIPURAM, PERINTHALMANNA</b>                                                                           | <b>Taluk :</b> | <b>PERINTHALMANNA</b> |
| <b>Supply of materials</b>                           | <b>Supply of Materials</b>                                                                                   |                |                       |

Sealed tenders are invited from reputed firms for the supply of Materials (**schedule attached**) for period of 3 months. **The bidder should have the GST Registration.**

Tender form and Tender schedule may be downloaded from the District administrative website-

**www.nirmithikendramlp.com** . Tenders should have addressed to , **Project Manager cum**

**Exe.secretary, District Nirmithi Kendra, Civil Station, Malappuram, 676505, phone : 0483-2735594.** Sealed

Tenders are accepted through registered post/ Couriers. Late tenders will not be accepted. Tenders will be

opened in the presence of Tendered or their authorized representatives who may be present at that time. If the Tender date happens to be a declared holiday, the tender process will be done on the next working day at same time and place. Further details can be had from the office of District Nirmithi Kendra, Civil Station, Malappuram during working hours.

**INSTRUCTIONS TO BIDDERS**

|   |                                                   |          |                              |
|---|---------------------------------------------------|----------|------------------------------|
| 1 | <b>Last Date &amp; Time of Submission of Bids</b> | <b>:</b> | <b>12-11-2025 , 11.00 AM</b> |
| 2 | <b>Date &amp; Time of Opening of Bids</b>         | <b>:</b> | <b>12-11-2025 , 3.00 PM</b>  |
| 3 | <b>Bid validity</b>                               | <b>:</b> | <b>60 DAYS</b>               |

- 1 The cover containing the tender should be superscribed as "**Tender for supply of Materials.....**".
- 2 The unit rate, make/ specification, quality, if any for each item has been specified in the enclosed format.
- 3 The bidder shall submit the details in the prescribed format duly signed on each & every page of the quote
- 4 The rate quoted should be inclusive of all taxes (GST), duties, freight, loading, unloading, etc...
- 5 Only the attached format should be used for quoting unit wise rates.
- 6 Payment will be released after satisfactory supply of the items corresponding to each supply Order.
- 7 If the quality of items is found bad, the items should be replaced with similar quality as immediately.
- 8 The Kendra reserves the right to award the supply order to multiple agencies for the items found to be lowest in value.
- 9 In the event of maximum items being quoted lowest by a single bidder, the Institute at its discretion may request the L1 bidder to match the rate for remaining items at a price quoted lowest by other bidders.
- 10 For clarification on make/quality etc. of item, the bidder may contact with the office during the working days ( Monday to Saturday )between 10.00 am to 5.00 pm.

Name :

Address of firm :


Signature :

Project manager cum Exe.secretary

District Nirmithi Kendra, Malappuram.

Signature :

*Project Manager Cum  
Executive Secretary  
District Nirmithi Kendra  
Civil Station, Malappuram*



## Terms and Conditions:

DATE : 07-11-2025

|                                                       |                                                                                                                      |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Tender No : NKMP/TNDR/ELF/MTRL/MI-RE/522/19-20</b> |                                                                                                                      |
| <b>Project Name:</b>                                  | <b>MAMANKAM - CHAVERTHARA" HERITAGE TOURISM<br/>PROJECT AT THIRUMANDHAMKUNNU, ANGADIPPURAM -<br/>ELRVTRIFICATION</b> |


- 1 This approved rate will remain valid for **3 months** from the date of award of contract
- 2 The price of each article shall remain constant and increase in price will not be allowed during contract period.
- 3 Payment shall be released within 20 days from date of receipt of bills
- 4 The Supplied items should be of original make only.
- 5 Goods may be delivered at site within 7 days from the date of issue of Supply Order.
- 6 The Liquidated damage charges if the supplier fails to deliver the goods and/or perform the services within the contractual delivery period for reason other than circumstances beyond supplier's control (which will be informed by the supplier in writing and agreed to by) and the purchaser extends the delivery period, the purchaser will also deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% (half per cent) of the delivered price of the delayed goods or unperformed services for each week of delay or part thereof until actual delivery of performance. The maximum limit of such deduction will, however, be 10% of the contract price.
- 7 **The rates are inclusive of freight, loading, unloading, and transit insurance etc....**
- 8 Order will be placed as per requirement irrespective of value of order.
- 9 In case the firm refuses to supply the articles or does not fulfill terms & conditions, the contract can be terminated along with forfeiture of Security Money.
- 10 The dispute arising between purchaser and the supplier will be settled by District collector & chairman, DNKM and decision thereof will be binding upon the supplier and purchaser.
- 11 The defective supply is to be replaced within 7 days without transportation charges.
- 12 The articles should be packed carefully to prevent damages during transit. The delivery of items will be taken at risk and cost of the supplier from the transport if way.
- 13 **No employee of DNKM, personally or through family members, will in connection with the tender/Quotation for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.**
- 14 The undersigned reserves the right to reject any or all tenders without assigning any reasons. Tenders not satisfying the above Terms and conditions are liable to be rejected without any further communication.

Name :  
Address of firm :

Project manager cum Exe.secretary  
District Nirmithi Kendra, Malappuram.

Signature :

Signature :



*Project Manager Cum  
Executive Secretary  
District Nirmithi Kendra  
Civil Station, Malappuram*




**TENDER SCHEDULE - MATERIAL( Annexure- M )**

( FORMAT FOR QUOTING UNIT PRICE )

DATE : 07-11-2025

| Tender No : DNKM/TNDR/ELE/MTRL/MI-RE/522/19-20 |                                                                               |                                                                                                       |               |                    |          |        |
|------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------|--------------------|----------|--------|
| Project Name                                   |                                                                               | MAMANKAM - CHAVERTHARA" HERITAGE TOURISM PROJECT AT THIRUMANDHAMKUNNU, ANGADIPPURAM - ELECTRIFICATION |               |                    |          |        |
| SI no                                          | Details of material                                                           | Spec/ Brand                                                                                           | Apx: Quantity | Quoted Rate in Rs. | per unit | Amount |
| 1                                              | 1.5 sq. mm ISI marked, FRLS PVC insulated, single core copper conductor cable | Finolex, RR Kabel, Polycab, V-guard, KEI, Traco, Havells, AT C, Gloster                               | 60            |                    | m        |        |
| 2                                              | 20 mm dia, ISI marked, PVC conduit Ivory colour                               | Precision, Balco, Konseal, Lappkabel, Clipsal, Polycab, Anchor, Geo, Finolex                          | 80            |                    | m        |        |
| 3                                              | 20 mm PVC bends                                                               | Precision, Balco, Konseal, Lappkabel, Clipsal, Polycab, Anchor, Geo, Finolex                          | 20            |                    | each     |        |
| 4                                              | 20 mm PVC couplers                                                            | Precision, Balco, Konseal, Lappkabel, Clipsal, Polycab, Anchor, Geo, Finolex                          | 10            |                    | each     |        |
| 5                                              | 20 mm iron staples/saddles/screws                                             | Precision, Balco, Konseal, Lappkabel, Clipsal, Polycab, Anchor, Geo, Finolex                          | 50            |                    | each     |        |
| 6                                              | 20 mm PVC junction box, One way                                               | Precision, Balco, Konseal, Lappkabel, Clipsal, Polycab, Anchor, Geo, Finolex                          | 10            |                    | each     |        |
| 7                                              | Modular GI box for 8 module                                                   | Ellays, Legrand (Myrius), Kolors (krest), Anchor, G M                                                 | 2             |                    | each     |        |
| 8                                              | Modular base & cover plate for 8 module                                       | Ellays, Legrand (Myrius), Kolors (krest), Anchor, G                                                   | 2             |                    | each     |        |




Page 1






|    |                                                                                          |                                                                         |    |  |      |  |
|----|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|--|------|--|
| 9  | S.P. 5/6 amps, one way modular switch, ISI marked                                        | Ellays, Legrand (Myrius), Kolors (krest), Anchor, GM                    | 24 |  | each |  |
| 10 | 3 pin 5/6 amps modular socket outlet, ISI marked                                         | Ellays, Legrand (Myrius), Kolors (krest), Anchor, GM                    | 12 |  | each |  |
| 11 | PVC fastener 40mm long                                                                   | Good Quality                                                            | 50 |  | each |  |
| 12 | Ceiling rose, 3 pin, 5 amps ISI marked                                                   | Anchor, GM                                                              | 6  |  | each |  |
| 13 | Al. Alloy/ cadmium plated iron screws, 20 mm                                             | Good Quality                                                            | 50 |  | each |  |
| 14 | Angle Holder                                                                             | Anchor, GM                                                              | 2  |  | each |  |
| 15 | 2.5 sq. mm ISI marked, FRLS PVC insulated, single core copper conductor cable            | Finolex, RR Kabel, Polycab, V-guard, KEI, Traco, Havells, AT C, Gloster | 30 |  | m    |  |
| 16 | 4 sq. mm ISI marked, FRLS PVC insulated, single core copper conductor cable              | Finolex, RR Kabel, Polycab, V-guard, KEI, Traco, Havells, AT C, Gloster | 20 |  | m    |  |
| 17 | 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor | Usha, Crompton, Oreint, Khaitan, Kulirna, Polycab, bajaj                | 1  |  | each |  |
| 18 | Wall Mounting fan 400mm Sweep                                                            | Usha, Crompton, Oreint, Khaitan, Kulirna, Polycab, bajaj                | 2  |  | each |  |
| 19 | 6 amps. to 32 amps. ratings, SP MCB, 'C' curve, 10KA breaking capacity                   | L&T, Legrand, Siemens, Hager, Schneider, ABB, Polycab, Ind oasian       | 12 |  | each |  |
| 20 | 40 amps., 2 pole isolator                                                                | L&T, Legrand, Siemens, Hager, Schneider, ABB, Polycab, Ind oasian       | 5  |  | each |  |
| 21 | 40 amps. rating, 2 pole RCCB, 30mA                                                       | L&T, Legrand, Siemens, Hager, Schneider, ABB, Polycab, Ind oasian       | 2  |  | each |  |
| 22 | 40 mm dia. G.I. pipe (medium class) - 2.5m                                               | Good Quality                                                            | 2  |  | m    |  |



|    |                                                                                                                                                                        |                                                                         |    |  |      |  |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|--|------|--|
| 23 | 40 mm to 20 mm reducer                                                                                                                                                 | Good Quality                                                            | 8  |  | each |  |
| 24 | CI/MS cover plate hinged to FRL Same with Locking arrangement                                                                                                          | Good Quality                                                            | 2  |  | each |  |
| 25 | Earth mixing compound                                                                                                                                                  | Good Quality                                                            | 2  |  | set  |  |
| 26 | 50/38 mm Double Walled Corrugated (DWC) pipes                                                                                                                          | Good Quality                                                            | 20 |  | m    |  |
| 27 | 1x20 W LED box type tube fittings. The fittings shall be made from CRCA MS sheet of minimum thickness 0.50 mm nominal thickness inside & outside (including LED Tube). | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 2  |  | each |  |
| 28 | 12W spot light Outdoor                                                                                                                                                 | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 10 |  | each |  |
| 29 | 12W Track light Outdoor                                                                                                                                                | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 20 |  | each |  |
| 30 | Strip Light Outdoor                                                                                                                                                    | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 10 |  | m    |  |
| 31 | 3/4W Ceiling LED light                                                                                                                                                 | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 20 |  | each |  |
| 32 | 3 Core round Flexible Copper Conductor                                                                                                                                 | Finolex, RR Kabel, Polycab, V-guard, KEI, Traco, Havells, AT C, Gloster | 10 |  | m    |  |
| 33 | 9W LED Bulb                                                                                                                                                            | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 4  |  | each |  |
| 34 | 9W LED Bulk Head Light                                                                                                                                                 | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 8  |  | each |  |
| 35 | 20W LED Garden light                                                                                                                                                   | Philips, Osram, Havells, Bajaj, Crompton, Luker                         | 2  |  | each |  |



|    |                                                         |                                                                               |   |              |      |  |
|----|---------------------------------------------------------|-------------------------------------------------------------------------------|---|--------------|------|--|
| 36 | 36W LED Flood light IP65                                | Phillips, Osram,<br>Havells, Bajaj,<br>Crompton, Luker                        | 4 |              | each |  |
| 37 | Single Phase Double door DB<br>10 way                   | L&T, Legrand,<br>Siemens, Hager,<br>Schneider,<br>ABB, Polycab, Ind<br>oasian | 1 |              | each |  |
| 38 | Sintex Box 6X6 along with din<br>rail & 4 way Connector | Good Quality                                                                  | 1 |              | each |  |
| 39 | Single Phase Double door DB<br>10 way                   | Good Quality                                                                  | 3 |              | each |  |
|    |                                                         |                                                                               |   | <b>Total</b> |      |  |


Name :

Address of firm :

Signature :

Project manager cum Exe.secretary  
District Nirmithi Kendra, Malappuram.

Signature :



*Project Manager Cum  
Executive Secretary  
District Nirmithi Kendra  
Civil Station, Malappuram*

